

Ministry of Economic Development
SE „IVANO-FRANKIVSK SCIENTIFIC PRODUCTION CENTRE
OF STANDARDIZATION, METROLOGY AND CERTIFICATION”
Testing Center accredited for technical competence and independence,
the accreditation certificate number 20098, June 20, 2019

Address: 127 Vovchynetska str.
Ivano-Frankivsk 76007
tel. 535640

«APPROVED»
Head of the Testing Center
T. Stasiv

« 14 » 01 2020

PROTOCOL № 50



Sample: Granola «Cherry Choco» «Fruit it», Nuts Granola», «Balanse», «Cherry Choco», «Low Fat»
products, name, packaging, party size, date of manufacture or delivery deadline storage

Norm for product: TU U 10.6-42121281-001:2018

Customer: Ltd. «BISAT - GRUP», Ukraine

Manufacturer: Ltd. «BISAT - GRUP», Ukraine
name, citi, country
name, city, country

Act of sampling: 13.01.2020,
date, who made

Number of tested samples: 1 **Weight (volume) of sample:** 250 g

Date of sample receiving: 13.01.2020 **Date of testing:** 13.01.-17.01.20

Test means: _____
Spectrophotometer ICAP 7000.

Sampling conducted in accordance with norms for products.

Test conditions: temperature 19.8-20.3⁰C; relative humidity 60-62 %;
pressure 732-730 MmHg, that meet ДСН 3.3.6.042-99.


Additional information: _____
selected by the customer

Note: - test protocol applies only to samples subjected to testing;
- test protocol is not subject to full and partial reproduction, or other forms of reproduction without permission Testing Center.

Testing results

Name of parameter	Score		Norms for testing methods
	from norms	in fact	
Mass fraction of lead, mg/kg, not more	-	0,116	DSTU ISO 11185
Mass fraction of cadmium, mg / kg, not more	-	0,008	DSTU ISO 11185
Mass fraction of mercury, mg / kg, not more	-	< 0,001	DSTU ISO 11185
Mass portion of arsenic, mg / kg, not more	-	< 0,001	DSTU ISO 11185
Mass fraction of copper, mg / kg, not more	-	2,06	DSTU ISO 11185
Mass fraction of zinc, mg / kg, not more	-	24,31	DSTU ISO 11185

The end of the table of test results.

Performers:			G. Guryk
	engineer leading		